QL1 .R484 v. 117 contents 2010

REVUE SUISSE

DE

ZOOLOGIE



REVUE SUISSE DE ZOOLOGIE

ANNALES

DE LA

SOCIÉTÉ SUISSE DE ZOOLOGIE

ET DU

MUSÉUM D'HISTOIRE NATURELLE DE LA VILLE DE GENÈVE

 $\frac{g}{e}$

GENÈVE 2010

ISSN 0035-418X

REVUE SUISSE STOOTOOK

ZELKYKA.

1.1.00

MODJODY IN CHERT STATES

100.00

STREET STREET OF STREET

TABLE DES MATIÈRES

Томе 117 – 2010


| | Pages |
|--|---------|
| Fascicule 1 | |
| GERMANN, Christoph. Osellaeus bonvouloiri occidentalis ssp. nov. from the Vercors (France) – an alpine element of its distributional limits (Coleoptera, Apionidae) | 3-10 |
| BAVIERA, Cosimo. <i>Alaocyba ientilei</i> n. sp. (Coleoptera: Curculionoidea, Raymondionymidae) dell'Isola di Marettimo (Isole Egadi, Sicilia) | 11-16 |
| HOLLIER, John. An annotated list of type specimens of Orthoptera (Insecta) described by Ferdinand Karsch and deposited in the collections of the Muséum d'histoire naturelle de la Ville de Genève | 17-22 |
| HOLLIER, John. An annotated catalogue of the primary type specimens of the Orthoptera (Insecta) species described by Johann Carl and Adolf Fritze | 23-44 |
| NGUYEN, Quang Truong, DAVID, Patrick, TRAN, Thanh Tung, LUU, Quang Vinh, LE, Khac Quyet & ZIEGLER, Thomas. <i>Amphiesmoides ornaticeps</i> (Werner, 1924), an addition to the snake fauna of Vietnam, with a redescription and comments on the genus <i>Amphiesmoides</i> Malnate, 1961 (Squamata: Natricidae) | 45-56 |
| BAYER, Steffen & JÄGER, Peter. Expected species richness in the genus <i>Psechrus</i> in Laos (Araneae: Psechridae) | 57-75 |
| SCHMIDT-RHAESA, Andreas & GUSICH, Valeria Viktoria. A new <i>Gordionus</i> MÜLLER, 1927 from Switzerland (Nematomorpha, Gordiida) | 77-82 |
| YEFREMOVA, Zoya, YEGORENKOVA, Ekaterina & BOYADZHIEV, Peter. Taxonomical Notes on <i>Neotrichoporoides bulgaricus</i> Graham, 1987 (Hymenoptera, Eulophidae) | 83-88 |
| BARTÁK, Miroslav & Kubík Štěpán. Three new European species of the <i>Rhamphomyia</i> (s. str.) melania group (Diptera: Empididae) | 89-100 |
| LAZAROV, Stoyan & NAUMOVA, Maria. Two new <i>Harpactea</i> from Bulgaria (Araneae: Dysderidae) | 101-110 |
| Do Linh San, Emmanuel, Ferrari, Nicola & Weber, Jean-Marc. Circadian activity patterns and nocturnal resting sites of Eurasian badgers (<i>Meles meles</i> L.) in a rural area of western Switzerland | 111-119 |
| DANKITTIPAKUL, Pakawin & SINGTRIPOP, Tippawan. The spitting spider family Scytodidae in Thailand, with descriptions of three new <i>Dictis</i> species (Araneae) | 121-141 |

| | Pages |
|---|---------|
| | |
| FARKAČ, Jan & WRASE, David W. Two new species of genus <i>Leistus</i> Fröhlich, 1799 from Turkey (Coleoptera: Carabidae: Nebriini) | 143-152 |
| SMALES, Lesley R. Plagiorhynchidae (Acanthocephala) including the description of a new species from birds from the Republic of the Côte d'Ivoire, Africa | 153-158 |
| BENJAMIN, Suresh P. & JALEEL, Ziyard. The genera <i>Haplotmarus</i> Simon, 1909 and <i>Indoxysticus</i> gen. nov.: two enigmatic genera of crab spiders from the Oriental region (Araneae: Thomisidae) | 159-167 |
| Ortuño, Vicente M. & Sendra, Alberto. Description of <i>Microtyphlus (Speleotyphlus) infernalis</i> n. sp. from Valencia (eastern Iberian Peninsula), and review of the present state of knowledge of this hypogean subgenus (Coleoptera: Carabidae: Anillini) | 169-183 |
| | |
| Fascicule 2 | |
| LIENHARD, Charles. Two new cave-dwelling Prionoglarididae from | |
| Venezuela and Namibia (Psocodea: 'Psocoptera': Trogiomorpha) | 185-197 |
| Kontschán, Jenő. Three new <i>Deraiophorus</i> Canestrini, 1897 species from Thailand (Acari: Uropodina: Eutrachytidae) | 199-211 |
| DIRICKX, Henri G. Notes sur le genre <i>Allobaccha</i> Curran, 1928 (Diptera, Syrphidae) à Madagascar avec descriptions de cinq nouvelles espèces | 213-233 |
| Weber, Jean-Marc & Hofer, Blaise. Diet of wolves <i>Canis lupus</i> recolonizing Switzerland: a preliminary approach | 235-241 |
| BAREJ, Michael F., BÖHME, Wolfgang, PERRY, Steven F., WAGNER, Philipp & SCHMITZ, Andreas. The hairy frog, a curly fighter? – A novel hypothesis on the function of hairs and claw-like terminal phalanges, including their biological and systematic significance (Anura: Arthro- | |
| leptidae: Trichobatrachus) | 243-263 |
| PUTHZ, Volker. <i>Edaphus</i> aus Taiwan (Coleoptera: Staphylinidae) 101. Beitrag zur Kenntnis der Euaesthetinen | 265-336 |
| | |
| Fascicule 3 | |
| SCHUCHERT, Peter. The European athecate hydroids and their medusae | |
| (Hydrozoa, Cnidaria): Capitata Part 2 | 337-555 |

Pages

Fascicule 4

| TURIENZO, Paola, DI IORIO, Osvaldo & MAHNERT, Volker. Global checklist of pseudoscorpions (Arachnida) found in birds' nests | 557-598 |
|--|--------------------|
| Hong, Yong. Four new earthworms of the <i>Amynthas aeruginosus</i> species group (Oligochaeta: Megascolecidae) from Nam Xam NBCA, Laos | 599-609 |
| LIENHARD, Charles, OLIVEIRA DO CARMO, Thais & LOPES FERREIRA, Rodrigo. A new genus of Sensitibillini from Brazilian caves (Psocodea: 'Psocoptera': Prionoglarididae) | 611-635 |
| SCHÄTTI, Beat, INEICH, Ivan & KUCHARZEWSKI, Christoph. Nominal taxa of Spalerosophis diadema (Schlegel, 1837) from Iraq to Pakistan – two centuries of confusion (Reptilia: Squamata: Colubrinae) | 637-664 |
| ASH, Anirban, De Chambrier, Alain, Scholz, Tomáš. Redescription of <i>Vermaia pseudotropii</i> , a hyperapolytic freshwater tapeworm, and composition of <i>Vermaia</i> Nybelin, 1942 (Cestoda: Proteocephalidea). | 665-677 |
| WILDENHUES, Marlen J., GAWOR, Anna, NGUYEN, Truong Quang, NGUYEN, Tao Thien, SCHMITZ, Andreas, ZIEGLER, Thomas. First description of larval and juvenile stages of <i>Rhacophorus maximus</i> Günther, 1859 | 670,606 |
| "1858" (Anura: Rhacophoridae) from Vietnam LANDRY, Bernard & ROQUE-ALBELO, Lazaro. The Gelechiidae (Lepidoptera) of the Galapagos Islands, Ecuador, a taxonomic revision | 679-696 697-770 |
| SHATALKIN, Anatole I. & MERZ, Bernhard. The Psilidae (Diptera, Acalyptrata of Switzerland, with description of two new species from Central Europe | 771-800 |
| HOLLIER, John. An annotated list of type material of Orthoptera (Insecta) described by Achille Griffini and deposited in the collections of the Muséum d'histoire naturelle in Geneva | 801-805 |
| HOLLIER, John. An annotated list of primary types of Orthoptera (Insecta) described by Boris Uvarov and deposited in the collections of the Muséum d'histoire naturelle in Geneva | 807-810 |
| LÜTHI, Marc, NENTWIG, Wolfgang, AIROLDI, Jean-Pierre. Nutritional ecology of <i>Microtus arvalis</i> (Pallas, 1779) in sown wild flower fields and quasi-natural habitats | 811-828 |
| CHRISTIAN, Erhard, CAPURRO, Matteo & GALLI, Loris. Phenology of two syntopic <i>Eukoenenia</i> species in a northern Italian forest soil (Arachnida: Palpigradi) | 829-834 |
| | |



INDEX DES AUTEURS

par

ORDRE ALPHABÉTIQUE

| | Pages |
|--|---------|
| Ash, Anirban, De Chambrier, Alain, Scholz, Tomáš. Redescription of <i>Vermaia pseudotropii</i> , a hyperapolytic freshwater tapeworm, and composition of <i>Vermaia</i> Nybelin, 1942 (Cestoda: Proteocephalidea). | 665-677 |
| BAREJ, Michael F., BÖHME, Wolfgang, PERRY, Steven F., WAGNER, Philipp & SCHMITZ, Andreas. The hairy frog, a curly fighter? – A novel hypothesis on the function of hairs and claw-like terminal phalanges, including their biological and systematic significance (Anura: Arthroleptidae: <i>Trichobatrachus</i>) | 243-263 |
| BARTÁK, Miroslav & Kubík Štěpán. Three new European species of the <i>Rhamphomyia</i> (s. str.) melania group (Diptera: Empididae) | 89-100 |
| Baviera, Cosimo. <i>Alaocyba ientilei</i> n. sp. (Coleoptera: Curculionoidea, Raymondionymidae) dell'Isola di Marettimo (Isole Egadi, Sicilia) | 11-16 |
| BAYER, Steffen & JÄGER, Peter. Expected species richness in the genus Psechrus in Laos (Araneae: Psechridae) | 57-75 |
| BENJAMIN, Suresh P. & JALEEL, Ziyard. The genera <i>Haplotmarus</i> Simon, 1909 and <i>Indoxysticus</i> gen. nov.: two enigmatic genera of crab spiders from the Oriental region (Araneae: Thomisidae) | 159-167 |
| CHRISTIAN, Erhard, CAPURRO, Matteo & GALLI, Loris. Phenology of two syntopic <i>Eukoenenia</i> species in a northern Italian forest soil (Arachnida: Palpigradi) | 829-834 |
| DANKITTIPAKUL, Pakawin & SINGTRIPOP, Tippawan. The spitting spider family Scytodidae in Thailand, with descriptions of three new <i>Dictis</i> species (Araneae) | 121-141 |
| DIRICKX, Henri G. Notes sur le genre <i>Allobaccha</i> Curran, 1928 (Diptera, Syrphidae) à Madagascar avec descriptions de cinq nouvelles espèces | 213-233 |
| Do Linh San, Emmanuel, Ferrari, Nicola & Weber, Jean-Marc. Circadian activity patterns and nocturnal resting sites of Eurasian badgers (<i>Meles meles</i> L.) in a rural area of western Switzerland | 111-119 |
| FARKAČ, Jan & WRASE, David W. Two new species of genus <i>Leistus</i> Fröhlich, 1799 from Turkey (Coleoptera: Carabidae: Nebriini) | 143-152 |
| GERMANN, Christoph. Osellaeus bonvouloiri occidentalis ssp. nov. from the Vercors (France) – an alpine element of its distributional limits | 3-10 |
| (Coleoptera, Apionidae) | 5-10 |

| | Pages |
|---|---------|
| | |
| HOLLIER, John. An annotated list of type specimens of Orthoptera (Insecta) described by Ferdinand Karsch and deposited in the collections of the Muséum d'histoire naturelle de la Ville de Genève | 17-22 |
| HOLLIER, John. An annotated catalogue of the primary type specimens of the Orthoptera (Insecta) species described by Johann Carl and Adolf Fritze | 23-44 |
| HOLLIER, John. An annotated list of type material of Orthoptera (Insecta) described by Achille Griffini and deposited in the collections of the Muséum d'histoire naturelle in Geneva | 801-805 |
| HOLLIER, John. An annotated list of primary types of Orthoptera (Insecta) described by Boris Uvarov and deposited in the collections of the Muséum d'histoire naturelle in Geneva | 807-810 |
| Hong, Yong. Four new earthworms of the <i>Amynthas aeruginosus</i> species group (Oligochaeta: Megascolecidae) from Nam Xam NBCA, Laos | 599-609 |
| Kontschán, Jenő. Three new <i>Deraiophorus</i> Canestrini, 1897 species from Thailand (Acari: Uropodina: Eutrachytidae) | 199-211 |
| LANDRY, Bernard & ROQUE-ALBELO, Lazaro. The Gelechiidae (Lepidoptera) of the Galapagos Islands, Ecuador, a taxonomic revision | 697-770 |
| LAZAROV, Stoyan & NAUMOVA, Maria. Two new <i>Harpactea</i> from Bulgaria (Araneae: Dysderidae) | 101-110 |
| LIENHARD, Charles. Two new cave-dwelling Prionoglarididae from Venezuela and Namibia (Psocodea: 'Psocoptera': Trogiomorpha) | 185-197 |
| LIENHARD, Charles, OLIVEIRA DO CARMO, Thais & LOPES FERREIRA, Rodrigo. A new genus of Sensitibillini from Brazilian caves (Psocodea: 'Psocoptera': Prionoglarididae) | 611-635 |
| LÜTHI, Marc, NENTWIG, Wolfgang, AIROLDI, Jean-Pierre. Nutritional ecology of <i>Microtus arvalis</i> (Pallas, 1779) in sown wild flower fields and quasi-natural habitats | 811-828 |
| NGUYEN, Quang Truong, DAVID, Patrick, TRAN, Thanh Tung, LUU, Quang Vinh, LE, Khac Quyet & ZIEGLER, Thomas. <i>Amphiesmoides orna-ticeps</i> (Werner, 1924), an addition to the snake fauna of Vietnam, with a redescription and comments on the genus <i>Amphiesmoides</i> Malnate, | |
| 1961 (Squamata: Natricidae) | 45-56 |
| ORTUÑO, Vicente M. & SENDRA, Alberto. Description of <i>Microtyphlus (Speleotyphlus) infernalis</i> n. sp. from Valencia (eastern Iberian Peninsula), and review of the present state of knowledge of this hypogean | 160 102 |
| subgenus (Coleoptera: Carabidae: Anillini) | 169-183 |
| trag zur Kenntnis der Euaesthetinen | 265-336 |
| SCHÄTTI, Beat, INEICH, Ivan & KUCHARZEWSKI, Christoph. Nominal taxa of <i>Spalerosophis diadema</i> (Schlegel, 1837) from Iraq to Pakistan – two centuries of confusion (Reptilia: Squamata: Colubrinae) | 637-664 |

Pages

INDEX DES AUTEURS

| SCHMIDT-RHAESA, Andreas & GUSICH, Valeria Viktoria. A new <i>Gordionus</i> MÜLLER, 1927 from Switzerland (Nematomorpha, Gordiida) | 77-82 |
|--|---------|
| SCHUCHERT, Peter. The European athecate hydroids and their medusae (Hydrozoa, Cnidaria): Capitata Part 2 | 337-555 |
| SHATALKIN, Anatole I. & MERZ, Bernhard. The Psilidae (Diptera, Acalyptrata of Switzerland, with description of two new species from Central Europe | 771-800 |
| SMALES, Lesley R. Plagiorhynchidae (Acanthocephala) including the description of a new species from birds from the Republic of the Côte d'Ivoire, Africa | 153-158 |
| TURIENZO, Paola, DI IORIO, Osvaldo & MAHNERT, Volker. Global checklist of pseudoscorpions (Arachnida) found in birds' nests | 557-598 |
| Weber, Jean-Marc & Hofer, Blaise. Diet of wolves <i>Canis lupus</i> recolonizing Switzerland: a preliminary approach | 235-241 |
| WILDENHUES, Marlen J., GAWOR, Anna, NGUYEN, Truong Quang, NGUYEN, Tao Thien, SCHMITZ, Andreas, ZIEGLER, Thomas. First description of larval and juvenile stages of <i>Rhacophorus maximus</i> Günther, 1859 "1858" (Anura: Rhacophoridae) from Vietnam | 679-696 |
| YEFREMOVA, Zoya, YEGORENKOVA, Ekaterina & BOYADZHIEV, Peter. Taxonomical Notes on <i>Neotrichoporoides bulgaricus</i> Graham, 1987 (Hymenoptera, Eulophidae) | 83-88 |

Revue suisse do American Museu 100191525

History

Received on: 02-15-11